

EASY GO VAC

ASPIRATOR



Power & long life on the go in a battery operated suction unit!

It Performs ...

No need to worry about power when you need it. This high performance unit delivers a vacuum range of 2-21 inHg. The standard easy-to-read gauge allows the care giver to adjust the vacuum.

It Lasts...

The high performance battery allows 1.5 hours of run time, twice that of comparable units. A "Low Battery Light", standard in this unit, informs the caregiver that the unit needs to be re-charged thus preventing interruptions in use.

It's Convenient ...

No need to buy a special canister. The Easy Go Vac uses any standard 800 cc canister and is visible in the Carry Bag while unit is in operation. It is re-chargeable in its convenient, specially designed Carry Bag, which also stores the charger, Suction Tubing and optional Auto DC Power Cord.

It's Durable ...

The ABS plastic cabinet is durable, attractive, easy-to-clean and infection control friendly. There are no open areas on the unit to harbor bacteria and dirt.

It's Protected ...

A dual pump protection system features two safeguards. A float shut-off in the canister to protect overflow and an Inline Hydrophobic Filter to prevent back flow of fluid as well as airborne contaminants from entering the pump.

It's Dependable ...

The Easy Go Vac carries a full 2 year warranty on the unit and a 6 month warranty on the battery.





SPECIFICATIONS

Dimensions (in Carry Bag): Length 12" (30.3 cm), Width 9 1/2" (24.1 cm), Height 10 3/16" (25.9 cm)
Weight (with Carry Bag and all Accessories): 9.6 lbs. (4.4 kg)
Shipping Weight: 11 lbs. (5 kg)
Electrical: Aspirator unit: 12 Volts DC Battery Charger/Power Supply: 100-240 Volts AC
Operating Temperature Range: 50°F to 104°F (10°C to 40°C)
Storage Conditions: Temperature: -4°F to 104°F (-20°C to 40°C); Humidity: Max 95% non-condensing

Vacuum Range: 50 mmHg to 535 mmHg (2 inHg to 21 inHg)
Flow: 14 lpm (unrestricted flow, without suction canister, running on AC power)
Power Consumption: 20 watts
Vacuum Buildup: 0 to 300 mmHg in 3.1 sec. (with 800cc Suction Canister and AC Power Cord connected) 0 to 300 mmHg in 3.5 sec. (with 800cc Suction Canister connected and running on Battery)
Suction Canister: 800cc Disposable with Float Shut-off

ORDERING INFORMATION

Part#	Description
PM65HG	Easy Go Vac Aspirator (includes all items in Ordering Information except Auto DC Power Cord)
1955	Patient Suction Tubing (6ft.)
502519-10	Canister, 800cc (10 pack)
502956	Carry Bag

Part#	Description
502954	Auto DC Power Cord (optional)
503106	AC Hospital Grade Power Cord
503293	Filter Assembly (Filter, Tubing and Elbow)
503974	Battery Charger/Power Supply



ISO 9001
Certified

Precision Medical, Inc.
300 Held Drive • Northampton, PA 18067
Phone: 610-262-6090 Toll-Free Phone: 1-800-272-7285
Fax: 610-262-6080 Toll-Free Fax: 1-800-352-1240
Visit us on the Web: www.precisionmedical.com

POWER VAC+

INTERMITTENT ASPIRATOR



Power & intermittent suction in a small package!

It's Powerful ...

We've put power and higher flow into a small package. Our high performance 1/5 horsepower pump delivers a suction range of 0-200 mmHg and a full vacuum of 279 mmHg.

It's Lightweight & Compact...

An average of 42% lighter & 44.8% smaller than comparable units, it fits into areas where space is at a minimum and is easy to carry.

It's Convenient ...

The unique canister holder is moveable, allowing the caregiver to rotate the canister to either side of the unit for best placement near the point of use.

It's Durable ...

The ABS plastic cabinet is durable, attractive, easy-to-clean and infection control friendly.

It's Protected ...

A dual protection system consists of a float shut-off in the canister lid and an Inline Hydrophobic Filter to prevent back flow of fluid as well as airborne contaminants from entering the pump.


It's Quieter ...

Our unique design allows a quieter operation for around the clock use.

It's Field Serviceable & Dependable ...

The PowerVac+ Intermittent Aspirator has a unique patented modular designed regulator. No need to replace the full unit, only the problem module.





SPECIFICATIONS

Dimensions:	Length 15 ⁷ / ₈ " (40.3 cm), Width 7 ³ / ₈ " (18.7 cm), Height 10 ¹ / ₈ " (25.7 cm)
Weight:	21.7 lbs. (9.8 kg)
Shipping Weight:	26.1 lbs. (11.8 kg)
Motor:	120 VAC, 60Hz, 5 Amps

Vacuum Range:	0-200 mmHg with Full Vacuum of 279 mmHg
Horsepower:	1/5
Ambient Temperature Range:	41°F to 95°F (5°C to 35°C)
Storage Conditions:	Temperature: -4°F to 104°F (-20°C to 40°C); Humidity: Max 95% non-condensing

ORDERING INFORMATION

Part#	Description
PM63	Power Vac+ Aspirator with Hospital Grade Power Cord & 2000cc canister
1955	Patient Suction Tubing (6ft.)
502540	Canister Bracket

Part#	Description
502687-12	Canister (with Lid), 2000cc (Case of 12)
502690	In-line Hydrophobic Filter & Tube Assembly
PM60-1	Roll Stand
PM60-2	Roll Stand with Suction Canister Bracket



ISO 9001
Certified

Precision Medical, Inc.
300 Held Drive • Northampton, PA 18067
Phone: 610-262-6090 Toll-Free Phone: 1-800-272-7285
Fax: 610-262-6080 Toll-Free Fax: 1-800-352-1240
Visit us on the Web: www.precisionmedical.com

POWER VAC

ASPIRATOR



Power & quieter performance!

It's Powerful...

High performance 1/5 horsepower pump delivers 0-26" Hg (0-660 mmHg) - among the highest in the industry.

It's Protected...

A dual protection system consists of a float shut-off in the canister lid and an Inline Hydrophobic Filter to prevent back flow of fluid as well as airborne contaminants from entering the pump.

It's Durable...

The Power Vac's ABS plastic cabinet is durable, attractive, easy-to-clean and infection control friendly.


It's Convenient...

The Power Vac has a unique, moveable canister holder which allows the caregiver to rotate the canister to either side of the unit for better placement near point of use.

It's Safe...

Safety is assured with the automatic resetting thermal limit switch which prevents the unit from overheating.





SPECIFICATIONS

Dimensions:	Length 15 ⁷ / ₈ " (40.3 cm), Width 7 ³ / ₈ " (18.7 cm), Height 10 ¹ / ₈ " (25.7 cm)
Weight:	21 lbs. (9.6 kg)
Shipping Weight:	25 lbs. (11.3 kg)
Motor:	120 VAC, 60Hz, 5 Amps

Vacuum Range:	0-26 inHg
Horsepower:	1/5
Operating Temperature Range:	50° F to 104° F (10° C to 40° C)
Storage Conditions:	Temperature: -4°F to 104°F (-20°C to 40°C); Humidity: Max 95% non-condensing

ORDERING INFORMATION

Part#	Description
PM61	Power Vac Aspirator with Hospital Grade Power Cord & 2000c canister
1955	Patient Suction Tubing (6ft.)
502540	Canister Bracket

Part#	Description
502687-12	Canister (with Lid), 2000cc (Case of 12)
502690	Inline Hydrophobic Filter & Tube Assembly
PM60-1	Roll Stand
PM60-2	Roll Stand with Suction Canister Bracket



ISO 9001
Certified

Precision Medical, Inc.
300 Held Drive • Northampton, PA 18067
Phone: 610-262-6090 Toll-Free Phone: 1-800-272-7285
Fax: 610-262-6080 Toll-Free Fax: 1-800-352-1240
Visit us on the Web: www.precisionmedical.com

EASY VAC

ASPIRATOR



Power & performance when you need it most!

It's Powerful...

High performance 1/5 horsepower pump delivers 0-26 inHg (0-660 mmHg) - among the highest in the industry.

It's Protected...

A dual protection system consists of a float shut-off in the canister lid and an Inline Hydrophobic Filter to prevent back flow of fluid as well as airborne contaminants from entering the pump.

It's Durable...

The Easy Vac has a protective canister bracket which not only holds the canister but also protects the gauge and adjustment knob from accidents.

It's Convenient...

The Easy Vac has a Velcro™ strap that allows the power cord to be wrapped securely to make portability easier. Extra strength premium suction feet attach the unit safely and securely to most surfaces, preventing spillage.

It's Safe...

Safety is assured with the automatic resetting thermal limit switch which prevents the unit from overheating.





SPECIFICATIONS

Dimensions: Length 13 1/4" (33.7 cm), Width 8" (20.3 cm), Height 9 3/4" (24.8 cm)
Weight: 12.6 lbs. (5.7 kg)
Shipping Weight: 14.5 lbs. (6.6 kg)
Motor: 120 VAC, 60Hz, 5 Amps

Vacuum Range: 0-26 inHg
Horsepower: 1/5
Operating Temperature Range: 50° F to 104° F (10° C to 40° C)
Storage Conditions: Temperature: -4°F to 104°F (-20°C to 40°C); Humidity: Max 95% non-condensing

ORDERING INFORMATION

Part#	Description
PM60	Easy Vac Aspirator with Hospital Grade Power Cord & 800cc canister

Part#	Description
1690	Inline Hydrophobic Filter
502519-10	Canister (with Lid), 800cc (Case of 10)
1906-12	Canister (with Lid), 1200cc (Case of 12)
PM60-1	Roll Stand



ISO 9001
Certified

Precision Medical, Inc.
300 Held Drive • Northampton, PA 18067
Phone: 610-262-6090 Toll-Free Phone: 1-800-272-7285
Fax: 610-262-6080 Toll-Free Fax: 1-800-352-1240
Visit us on the Web: www.precisionmedical.com

VACUUM ACCESSORIES



The Roll Stand and other accessories make life easier using our vacuum devices.

It's Convenient....

The suction roll stand provides suction where and when you need it, either from a wall suction source or portable aspirator. It is easily used in hospitals, surgical suites, sub-acute, homecare and long term care facilities.

It's Versatile....

The shelf on the PM60-2 roll stand is large enough to securely accommodate any of the Precision Medical, Inc. portable aspirators. The aspirators are easily attached to the shelf by means of the durable Velcro™ strap making it interchangeable if needed. Or, the units can be

permanently mounted to the shelf. The attached universal canister bracket allows the use of four suction canisters.

It's Easy to Maintain...

The compressor shelf is powder coated and durable. The pole, base arms and casters are smooth, easy-to-clean and infection control friendly.

It's Unique...

The SCS-2000 Model has a ball-pivot holder for attachment of the suction regulator. This allows movement of the regulator in any direction making visual observation of the suction rate easier. The four-port, on-off valve allows quick change from canister-to-canister during the suctioning process.

It's Sturdy...

The five-arm base of the stand along with the high quality casters provides a sturdy stand that is virtually impossible to tip over during normal use.

PM60-2 Roll Stand *



The Roll Stand allows you to easily move a suction unit from room to room allowing easy placement anywhere. The stand shelf is large enough to accommodate any of Precision Medical's air compressors, aspirators or nebulizer compressors. The universal canister holder can accommodate numerous canister configurations.

SCS2000 Suction Roll Stand *



The SCS-2000 Model has a ball-pivot holder for attachment of the suction regulator. This allows movement of the regulator in any direction making visual observation of the suction rate easier. The four-port, on-off valve allows quick change from canister-to-canister during the suctioning process. The universal canister holder can accommodate numerous canister configurations.

Canisters



Canisters come in 3 sizes; 800cc, 1200cc and 2000cc. A self sealing lid provides a leak-free seal when vacuum is applied. An automatic float shut-off provides protection against canister overflow.

Ordering Information:

1906-12	1200cc (Case of 12)
502519-10	800cc (Case of 10)
502687-12	2000cc (Case of 12)

Suction Tubing, Filter Assemblies & Hydrophobic Filter



Suction Tubing comes in a 6' length.



Hydrophobic Filters provides final filtration and overflow protection.



Ordering Information:

1690	Hydrophobic Filter
1955	Suction Tubing
502690	Inline Filter & Tubing Assembly (PM60-2)
503477	Filter Assembly, SCS2000

PM9000 Vac Trap



PM9003 shown

The Vac Trap protects suction regulators and central vacuum systems from accidental contamination by liquid overflow from suction collection canisters. This unique design assures positive shut-off at low as well as line vacuum conditions. Various configurations are available for attachment to vacuum regulator or central vacuum system.

*All Roll Stands are sold without Aspirators, Canisters or Vacuum Regulators.

ADDITIONAL ORDERING INFORMATION

Description	Part#
PowerVac Aspirator	PM61
PowerVac+ Aspirator	PM63
Vacuum Regulator (2 Mode Continuous)	PM3000 Series
Vacuum Regulator (3 Mode Continuous)	PM3100 Series
Vacuum Regulator (Continuous/Intermittent)	PM3300 Series
Vacuum Regulator (Pediatric Continuous/Intermittent)	PM3400 Series